
Typical chemical and physical Properties

D'FOAM BIL 75 DI is a versatile antifoam formulation for pulping and paper – Making and Leather industry.

A Blend of Glycols, fatty acids, vegetable & petroleum wax and other surface active components

PROPERTIES:

Appearance	Viscous milky liquid
Active content	26 ± 1%
Solubility	Soluble in water

Applications and typical treat level recommended

Pulping / Paper Machine 1.5 to 3kg / tonne of paper

Dosage: Exact dosage can only be arrived at by conducting plant scale trials.

Pre-Dilution:

D'FOAM BIL 75 DI can be pre-diluted up-to 1:5 with water (water should be added to **D'FOAM BIL 75 DI** but not vice versa.).

Benefits

D'FOAM BIL 75 DI is a 26% active product and performs tremendously in controlling foam generation.

It offers tremendous cost benefit due to high dilutability.

It leaves no significantly adverse impact on B.O.D / C.O.D values and maintains these within permissible parameters.

Disclaimer:

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge. Notwithstanding any such recommendations, buyer or user remains responsible for satisfying himself that the products as supplied by us are suitable for his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot accept responsibility thereof. Buyer has to ensure that the intended use of the products will not infringe any third party's intellectual property rights. We warrant that our products are free from defects in accordance with, and subject to, our general conditions of sale and supply.